

Welcome to STN International! Enter x:x

LOGINID:ssptayvv1621

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
NEWS 3 JAN 06 The retention policy for unread STNmail messages  
will change in 2009 for STN-Columbus and STN-Tokyo  
NEWS 4 JAN 07 WPIDS, WPINDEX, and WPIX enhanced Japanese Patent  
Classification Data  
NEWS 5 FEB 02 Simultaneous left and right truncation (SLART) added  
for CERAB, COMPUAB, ELCOM, and SOLIDSTATE  
NEWS 6 FEB 02 GENBANK enhanced with SET PLURALS and SET SPELLING  
NEWS 7 FEB 06 Patent sequence location (PSL) data added to USGENE  
NEWS 8 FEB 10 COMPENDEX reloaded and enhanced  
NEWS 9 FEB 11 WTEXTILES reloaded and enhanced  
NEWS 10 FEB 19 New patent-examiner citations in 300,000 CA/CAPLUS  
patent records provide insights into related prior  
art  
NEWS 11 FEB 19 Increase the precision of your patent queries -- use  
terms from the IPC Thesaurus, Version 2009.01  
NEWS 12 FEB 23 Several formats for image display and print options  
discontinued in USPATFULL and USPAT2  
NEWS 13 FEB 23 MEDLINE now offers more precise author group fields  
and 2009 MeSH terms  
NEWS 14 FEB 23 TOXCENTER updates mirror those of MEDLINE - more  
precise author group fields and 2009 MeSH terms  
NEWS 15 FEB 23 Three million new patent records blast AEROSPACE into  
STN patent clusters  
NEWS 16 FEB 25 USGENE enhanced with patent family and legal status  
display data from INPADOCDB  
NEWS 17 MAR 06 INPADOCDB and INPAFAMDB enhanced with new display  
formats  
NEWS 18 MAR 11 EPFULL backfile enhanced with additional full-text  
applications and grants  
NEWS 19 MAR 11 ESBIOBASE reloaded and enhanced  
NEWS 20 MAR 20 CAS databases on STN enhanced with new super role  
for nanomaterial substances  
NEWS 21 MAR 23 CA/CAPLUS enhanced with more than 250,000 patent  
equivalents from China  
NEWS 22 MAR 30 IMSPATENTS reloaded and enhanced  
NEWS 23 APR 03 CAS coverage of exemplified prophetic substances  
enhanced  
  
NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,  
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items  
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial

gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 16:55:29 ON 06 APR 2009

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 16:55:43 ON 06 APR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 APR 2009 HIGHEST RN 1132636-28-2

DICTIONARY FILE UPDATES: 5 APR 2009 HIGHEST RN 1132636-28-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10562730-cl1-rce.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 16:56:04 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 244 TO ITERATE

100.0% PROCESSED 244 ITERATIONS 4 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 3943 TO 5817  
PROJECTED ANSWERS: 4 TO 199

L2 4 SEA SSS SAM L1

=> s l1 full  
FULL SEARCH INITIATED 16:56:08 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 4619 TO ITERATE

100.0% PROCESSED 4619 ITERATIONS 47 ANSWERS  
SEARCH TIME: 00.00.01

L3 47 SEA SSS FUL L1

=> file caplus  
COST IN U.S. DOLLARS SINCE FILE TOTAL  
ENTRY SESSION  
FULL ESTIMATED COST 185.88 186.10

FILE 'CAPLUS' ENTERED AT 16:56:12 ON 06 APR 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 6 Apr 2009 VOL 150 ISS 15  
FILE LAST UPDATED: 5 Apr 2009 (20090405/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3  
L4 16 L3  
  
=> s l4 not py > 2005  
4832161 PY > 2005  
L5 8 L4 NOT PY > 2005

=> d l5 ibib abs hitstr l-  
YOU HAVE REQUESTED DATA FROM 8 ANSWERS - CONTINUE? Y/(N):y

L5 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN  
 ACCESSION NUMBER: 1998:227021 CAPLUS  
 DOCUMENT NUMBER: 128:323921  
 ORIGINAL REFERENCE NO.: 128:64171a,64174a  
 TITLE: Lubricants and magnetic recording media using them  
 INVENTOR(S): Furuya, Takahiro; Sasamoto, Sayaka  
 PATENT ASSIGNEE(S): Hitachi Maxell, Ltd., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 10095991	A	19980414	JP 1996-254260	19960926
PRIORITY APPLN. INFO.:				JP 1996-254260	19960926
AB	Lubricants for magnetic recording media are compds. having F-containing polyether blocks of (CH <sub>2</sub> CF <sub>2</sub> CF <sub>2</sub> O) <sub>l</sub> and (CHFCF <sub>2</sub> CF <sub>2</sub> O) <sub>m</sub> , where l or m ≥ 1 and 2 ≤ l+m ≤ 200, and at least one terminal end having ammonium salt group. The lubricants provide improved lubricity and durability of magnetic recording media.				
IT	206852-52-0P 206852-53-1P 206852-54-2P 206852-55-3P 206852-56-4P 206852-57-5P 206852-60-0P 206852-62-2P 206852-65-5P 206852-69-9P 206852-70-2P 206852-72-4P RL: IMF (Industrial manufacture); NUU (Other use, unclassified); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (lubricant; lubricants and magnetic recording media using them)				
RN	206852-52-0 CAPLUS				
CN	1-Octadecanamine, compd. with α-(2-carboxy-2,2-difluoroethyl)-ω-(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1) (9CI) (CA INDEX NAME)				
CM	1				
CRN	104677-65-8				
CMF	(C3 H2 F4 O) <sub>n</sub> C6 H5 F7 O3				
CCI	PMS				




CM 2  
 CRN 124-30-1  
 CMF C18 H39 N

H<sub>2</sub>N<sup>+</sup>-(CH<sub>2</sub>)<sub>17</sub>-Me


RN 206852-53-1 CAPLUS  
 CN 9-Octadecen-1-amine, (9Z)-, compd. with α-(2-carboxy-2,2-difluoroethyl)-ω-(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1) (9CI) (CA INDEX NAME)

CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)n C6 H5 F7 O3  
 CCI PMS




CM 2  
 CRN 112-90-3  
 CMF C18 H37 N

Double bond geometry as shown.




RN 206852-54-2 CAPLUS  
 CN 1-Octanamine, compd. with  $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1) (9CI) (CA INDEX NAME)

CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)n C6 H5 F7 O3  
 CCI PMS




CM 2  
 CRN 111-86-4  
 CMF C8 H19 N



RN 206852-55-3 CAPLUS  
 CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)-, compd. with N,N-diethylethanamine (1:1) (9CI) (CA INDEX NAME)

CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)n C6 H5 F7 O3  
 CCI PMS



CM 2

CRN 121-44-8

CMF C6 H15 N



RN 206852-56-4 CAPLUS


CN 1-Octanamine, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)

CM 1

CRN 104677-65-8

CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3


CCI PMS



CM 2

CRN 307-29-9

CMF C8 H4 F15 N



RN 206852-57-5 CAPLUS


CN Benzenamine, 4-phenoxy-, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)

CM 1


CRN 104677-65-8

CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3

CCI PMS




CM 2  
 CRN 139-59-3  
 CMF C12 H11 N O




RN 206852-60-0 CAPLUS  
 CN 1,3-Benzodioxole-5-methanamine, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)

CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3  
 CCI PMS




CM 2  
 CRN 2620-50-0  
 CMF C8 H9 N O2




RN 206852-62-2 CAPLUS  
 CN Benzenamine, 4-methoxy-, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)


CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3  
 CCI PMS




CM 2  
 CRN 104-94-9  
 CMF C7 H9 N O




RN 206852-65-5 CAPLUS  
 CN Benzenamine, 4-(trifluoromethyl)-, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)  
 CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3  
 CCI PMS



CM 2  
 CRN 455-14-1  
 CMF C7 H6 F3 N




RN 206852-69-9 CAPLUS  
 CN [1,1'-Biphenyl]-4-amine, compd. with  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-pentafluoropropoxy)poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (1:1)  
 (9CI) (CA INDEX NAME)  
 CM 1  
 CRN 104677-65-8  
 CMF (C3 H2 F4 O)<sub>n</sub> C6 H5 F7 O3  
 CCI PMS




CM 2



CRN 92-67-1  
CMF C12 H11 N




RN 206852-70-2 CAPLUS  
CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
 $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -(1,1,2,2,3-  
pentafluoropropoxy)-, ammonium salt (9CI) (CA INDEX NAME)



RN 206852-72-4 CAPLUS  
CN 1-Octadecanamine, compd. with  $\alpha$ -(2-carboxy-1,2,2-trifluoroethyl)-  
 $\omega$ -(1,1,2,2,3,3-hexafluoropropoxy)poly[oxy(1,1,2,2,3-pentafluoro-1,3-  
propanediyl)] (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 206852-71-3  
CMF (C3 H F5 O)<sub>n</sub> C6 H3 F9 O3  
CCI PMS



CM 2

CRN 124-30-1  
CMF C18 H39 N



L5 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN  
ACCESSION NUMBER: 1998:65786 CAPLUS  
DOCUMENT NUMBER: 128:106249  
ORIGINAL REFERENCE NO.: 128:20735a, 20738a  
TITLE: Cosmetic preparations containing fluorinated oils  
INVENTOR(S): Morita, Masamichi; Seki, Eiji; Kubo, Motonobu  
PATENT ASSIGNEE(S): Daikin Industries Ltd., Japan

SOURCE: PCT Int. Appl., 38 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9801104	A1	19980115	WO 1997-JP2343	19970707
W: JP, US				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 938885	A1	19990901	EP 1997-929542	19970707
R: FR, GB, IT				
JP 3622204	B2	20050223	JP 1998-505056	19970707
US 6136331	A	20001024	US 1998-214153	19981229
PRIORITY APPLN. INFO.:			JP 1996-177837	A 19960708
			WO 1997-JP2343	W 19970707


OTHER SOURCE(S): MARPAT 128:106249

AB Cosmetic preps. containing fluorinated oils e.g.  
 XO[C(CF3)FCF2O]h(CH2CF2CF2O)yCOOR3 [ X = H, F, Cl, Br or fluorinated  
 Cl-30 aliphatic group; Y = fluorinated Cl-30 aliphatic group; h + o = 1-100] do  
 not impair the oil repellency of powdery materials treated with fluorine  
 compds. and are excellent in compatibility with the skin and inexpensive.  
 The fluorinated oils were used in manufacturing e.g. liquid foundations.

IT 201354-61-2P  
 RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL  
 (Biological study); PREP (Preparation); USES (Uses)  
 (cosmetic preps. containing fluorinated oils)

RN 201354-61-2 CAPLUS

CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
 $\alpha$ -(2,2-difluoro-3-methoxy-3-oxopropyl)- $\omega$ -[1,1,2,3,3,3-  
 hexafluoro-2-(trifluoromethoxy)propoxy]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS  
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2009 ACS ON STN

ACCESSION NUMBER: 1991:64555 CAPLUS

DOCUMENT NUMBER: 114:64555

ORIGINAL REFERENCE NO.: 114:11053a,11056a

TITLE: Preparation of fluorine-containing cellulose  
 derivatives and their properties

AUTHOR(S): Muramoto, Mieko; Yoshioka, Mariko; Shiraishi, Nobuo

CORPORATE SOURCE: Fac. Agric., Kyoto Univ., Kyoto, 606, Japan

SOURCE: Sen'i Gakkaishi (1990), 46(11), 496-505

CODEN: SENGAS; ISSN: 0037-9875

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Cellulose dissolved in a mixture of LiCl and AcNMe2 was esterified with  
 4-perfluoro(3-isopropyl-4-methyl-2-penten-2-yloxy)phthalic anhydride (I)  
 using Et3N or pyridine as a catalyst. The products obtained with either  
 catalyst had the same degree of substitution (DS) of 2.1. Fluorine-containing  
 cellulose derivs. with DS of 0.16 and 0.36 were also prepared by  
 esterifications of Et cellulose (II) (DS = 2.5) with I and with

1,1,2,2,3-pentafluoropropoxy-2,2-difluoropropionyl fluoride (III), resp.  
 Formation of these esters was confirmed by IR and <sup>1</sup>H- and <sup>19</sup>F-NMR spectra.  
 Dynamic viscoelastic and thermoplastic characteristics of cellulose and II  
 were changed considerably by their derivatization. Refractive indexes of  
 the fluorine-containing cellulose derivs. were relatively low, 1.443-1.458.  
 All the products were less hygroscopic than the starting materials. II,  
 I-esterified II, and III-esterified II had low dielec. consts. and low  
 dielec. loss tangents, so they could be regarded as good insulators.

IT 131552-78-8P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)  
 (preparation and properties of, degree of substitution effects in)

RN 131552-78-8 CAPLUS

CN Cellulose, 2,2-difluoro-3-(1,1,2,2,3-pentafluoropropoxy)propanoate, ethyl  
 ether (9CI) (CA INDEX NAME)

CM 1

CRN 168677-68-7

CMF C6 H5 F7 O3

FCH<sub>2</sub>-CF<sub>2</sub>-CF<sub>2</sub>-O-CH<sub>2</sub>-CF<sub>2</sub>-CO<sub>2</sub>H

CM 2

CRN 9004-34-6

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

CM 3

CRN 64-17-5

CMF C2 H6 O

H<sub>3</sub>C-CH<sub>2</sub>-OH

L5 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1991:45285 CAPLUS

DOCUMENT NUMBER: 114:45285

ORIGINAL REFERENCE NO.: 114:7861a,7864a

TITLE: Preparation of fluorine-containing cellulose  
 derivatives

INVENTOR(S): Shiraishi, Nobuo; Kubo, Motonobu

PATENT ASSIGNEE(S): Daikin Industries, Ltd., Japan

SOURCE: Eur. Pat. Appl., 11 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 382208	A2	19900816	EP 1990-102483	19900208
EP 382208	A3	19910522		

R: DE, FR, GB

JP 02212501	A	19900823	JP 1989-31845	19890210
JP 02227401	A	19900910	JP 1989-47098	19890228
US 5187269	A	19930216	US 1990-476697	19900208
PRIORITY APPLN. INFO.:			JP 1989-31845	A 19890210
			JP 1989-47098	A 19890228

AB The title derivs. with high F content, having good water resistance, etc., are prepared by the reaction of cellulose with compds. such as 4-[2,2-bis(perfluoroisopropyl)-1-trifluoromethyl]ethenyloxy]phthalic anhydride (I), 4-[2,2-bis(perfluoroisopropyl)-1-(trifluoromethyl)ethenyloxy]benzoyl chloride, FCH<sub>2</sub>CF<sub>2</sub>CF<sub>2</sub>OCH<sub>2</sub>CF<sub>2</sub>COF, or FCOCF<sub>2</sub>CH<sub>2</sub>(OCF<sub>2</sub>CF<sub>2</sub>CH<sub>2</sub>)<sub>q</sub>F in the presence of an esterification catalyst. A solution of cellulose in AcNMe<sub>2</sub> containing LiCl and Et<sub>3</sub>N was treated with I (6 mol/mol cellulose units) to give a cellulose ester having degree of substitution 2.1 and F content 47.8%.

IT 131552-77-7P 131571-36-3P

RL: IMF (Industrial manufacture); PREP (Preparation)  
(preparation of, with high fluorine content and water repellency)


RN 131552-77-7 CAPLUS

CN Cellulose, 2,2-difluoro-3-(1,1,2,2,3-pentafluoropropoxy)propanoate (9CI)  
(CA INDEX NAME)

CM 1

CRN 168677-68-7

CMF C6 H5 F7 O3



CM 2

CRN 9004-34-6

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

RN 131571-36-3 CAPLUS


CN Cellulose, ester with  $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -fluoropoly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)] (9CI) (CA INDEX NAME)

CM 1

CRN 104677-65-8

CMF (C3 H2 F4 O)n C6 H5 F7 O3

CCI PMS



CM 2

CRN 9004-34-6

CMF Unspecified

CCI PMS, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

L5 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1986:554140 CAPLUS  
 DOCUMENT NUMBER: 105:154140  
 ORIGINAL REFERENCE NO.: 105:24849a,24852a  
 TITLE: Fluorocarbon resin foams  
 INVENTOR(S): Namba, Mutsusuke; Shirasaki, Osamu; Hirata, Tomohiko  
 PATENT ASSIGNEE(S): Daikin Industries, Ltd., Japan  
 SOURCE: Eur. Pat. Appl., 39 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 183022	A2	19860604	EP 1985-112857	19851010
EP 183022	A3	19861217		
R: DE, FR, GB, IT, NL				
JP 61091229	A	19860509	JP 1984-213664	19841011
JP 63020859	B	19880430		
JP 61162534	A	19860723	JP 1985-1866	19850109
JP 03002451	B	19910116		
JP 61171743	A	19860802	JP 1985-11491	19850123
JP 03002452	B	19910116		
EP 350969	A2	19900117	EP 1989-115501	19851010
EP 350969	A3	19900530		
R: DE, FR, GB, IT, NL				
PRIORITY APPLN. INFO.:			JP 1984-213664	A 19841011
			JP 1985-1866	A 19850109
			JP 1985-11491	A 19850123
			EP 1985-112857	P 19851010

AB Undiscolored foams with uniform, fine cells, useful in covering elec. cables, are prepared by molding molten fluoropolymers in the presence of a depolymerizable polymers of (fluoro)olefins, polyethers, or C2-20 polycarbonyloxy compds and, optionally, nucleating agents. Thus, a mixture of 1 part BN (particle size 1-8μ) and 100 parts 82:18 C2F4-C3F6 copolymer was pelletized, mixed with 1.0 part Me methacrylate polymer (particle size <500μ) and extruded to a foam with expansion ratio 60%, uniform cells, and no discoloration.

IT 104677-65-8  
 RL: USES (Uses)  
 (in fluoropolymer foam manufacture)

RN 104677-65-8 CAPLUS

CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
 α-(2-carboxy-2,2-difluoroethyl)-ω-(1,1,2,2,3-pentafluoropropoxy)-(9CI) (CA INDEX NAME)




L5 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1986:543602 CAPLUS  
 DOCUMENT NUMBER: 105:143602  
 ORIGINAL REFERENCE NO.: 105:23005a,23008a  
 TITLE: Etchant composition  
 INVENTOR(S): Fujii, Tsuneo; Deguchi, Takayuki; Tamaru, Shinji  
 PATENT ASSIGNEE(S): Daikin Industries, Ltd., Japan

SOURCE: Eur. Pat. Appl., 25 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 182306	A2	19860528	EP 1985-114526	19851115
EP 182306	A3	19880427		
EP 182306	B1	19910724		
R: DE, FR, GB				
JP 61270381	A	19861129	JP 1985-259205	19851118
JP 63045461	B	19880909		
US 4725375	A	19880216	US 1986-908943	19860916
PRIORITY APPLN. INFO.:				
			JP 1984-242648	A 19841117
			US 1985-798407	A2 19851115
AB	An etchant for etching a Cr or Cr oxide layer (e.g., in the preparation of masks for transferring patterns to semiconductor wafers) is composed of a Ce(IV) salt, a nonionic or anionic F-containing surfactant, H <sub>2</sub> O, and, optionally, $\geq 1$ of HClO <sub>4</sub> , HOAc, H <sub>2</sub> SO <sub>4</sub> , HNO <sub>3</sub> , HCl, and their salts. The etchant can homogeneously etch a resist pattern having both wide and narrow gaps on a Cr or Cr oxide layer.			
IT	104335-43-5 RL: USES (Uses) (etchant containing, for etching chromium or chromium oxide for mask preparation)			
RN	104335-43-5 CAPLUS			
CN	Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)], $\alpha$ -(2-carboxy-2,2-difluoroethyl)- $\omega$ -[1,1,2,3,3,3-hexafluoro-2-(heptafluoropropoxy)propoxy]-, potassium salt (9CI) (CA INDEX NAME)			



● K

L5 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN  
 ACCESSION NUMBER: 1986:69315 CAPLUS  
 DOCUMENT NUMBER: 104:69315  
 ORIGINAL REFERENCE NO.: 104:11113a,11116a  
 TITLE: Halogen-containing polyether  
 INVENTOR(S): Ohsaka, Yohnosuke; Tohzuka, Takashi; Takaki, Shoji  
 PATENT ASSIGNEE(S): Daikin Kogyo Co., Ltd., Japan  
 SOURCE: Eur. Pat. Appl., 44 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 148482	A2	19850717	EP 1984-116003	19841220

EP 148482	A3	19851227	
EP 148482	B1	19920325	
R: DE, FR, GB, IT, NL			
JP 60137928	A	19850722	JP 1983-251069 19831226
JP 63032812	B	19880701	
JP 60202122	A	19851012	JP 1984-58877 19840326
JP 63043419	B	19880830	
JP 61113616	A	19860531	JP 1984-235610 19841107
JP 01060170	B	19891221	
EP 415462	A1	19910306	EP 1990-119306 19841220
EP 415462	B1	19960508	
R: DE, FR, GB, IT, NL			
CA 1259443	A1	19890912	CA 1984-470995 19841224
SU 1806149	A3	19930330	SU 1984-3839427 19841225
US 4845268	A	19890704	US 1986-940191 19861209
US 4973742	A	19901127	US 1989-338036 19890414
RU 2073692	C1	19970220	RU 1991-4895780 19910626
RU 2107074	C1	19980320	RU 1992-5010940 19920226
PRIORITY APPLN. INFO.:			
			JP 1983-251069 A 19831226
			JP 1984-58877 A 19840326
			JP 1984-235610 A 19841107
			US 1984-684345 A1 19841220
			US 1986-940191 A3 19861209

AB Chemical and thermally stable halogen-containing polyethers useful as lubricants

and are prepared by ring-opening polymerization of 2,2,3,3-tetrafluorooxetane (I)

optional fluorination and/or chlorination. Thus, F(CH<sub>2</sub>CF<sub>2</sub>CF<sub>2</sub>O)nCH<sub>2</sub>CF<sub>2</sub>COF (II) was prepared by ring-opening polymerization of I in the presence of CsF.

A reactor containing 1.5 kg II was heated to 100°-120°. The II was irradiated with a Hg lamp as a mixture of F(g) and N(g) was fed to the reactor at 1 L/min for 100 h, and then N was fed at 2 L/min for 50 h. A viscous fluoropolymer (1.8 kg) having CF<sub>2</sub>CF<sub>2</sub>CF<sub>2</sub>O repeating units, with kinematic viscosity at 40° (v) 65 cS, was formed. A rotary vacuum pump using the viscous fluoropolymer as lubricant was used in an apparatus to form O, H, and CCl<sub>4</sub> plasmas. After 30 days operation the pump motor showed no current irregularity, and the lubricant still had v 65 cS.

IT 99488-69-4P 99488-70-7P 99488-71-8P


99488-72-9P

RL: PREP (Preparation)

(oligomeric, preparation of, chemical and thermally stable)


RN 99488-69-4 CAPLUS

CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
α-(2,2-difluoro-3-methoxy-3-oxopropyl)-ø-fluoro- (9CI) (CA  
INDEX NAME)




RN 99488-70-7 CAPLUS


CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
α-(2,2-difluoro-3-methoxy-3-oxopropyl)-ø-iodo- (9CI) (CA  
INDEX NAME)



RN 99488-71-8 CAPLUS  
 CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
 $\alpha$ -(2,2-difluoro-3-methoxy-3-oxopropyl)- $\omega$ -(heptafluoropropoxy)-  
 (9CI) (CA INDEX NAME)



RN 99488-72-9 CAPLUS  
 CN Poly[oxy(1,1,2,2-tetrafluoro-1,3-propanediyl)],  
 $\alpha$ -(2,2-difluoro-3-methoxy-3-oxopropyl)- $\omega$ -[1,2,2-tetrafluoro-  
 1-(trifluoromethyl)ethoxy]- (9CI) (CA INDEX NAME)



L5 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1979:404937 CAPLUS

DOCUMENT NUMBER: 91:4937

ORIGINAL REFERENCE NO.: 91:923a,926a

TITLE: Study of polyfluoroacyl fluorides formed in the  
 electrochemical fluorination of methyl  
 3-methoxypropionate

AUTHOR(S): Berenblit, V. V.; Nikitin, V. A.; Sass, V. P.;  
 Senyushov, L. N.; Starobin, Yu. K.; Tsyganov, Yu. V.  
 USSR

CORPORATE SOURCE: Zhurnal Organicheskoi Khimii (1979), 15(2), 284-92

SOURCE: CODEN: ZORKAE; ISSN: 0514-7492

DOCUMENT TYPE: Journal

LANGUAGE: Russian

AB Products of electrochem. fluorination of MeOCH<sub>2</sub>CH<sub>2</sub>CO<sub>2</sub>Me (polyfluoroacyl  
 fluorides) were investigated by condensing them with MeOH, followed by  
 rectification of the Me esters formed and study of them via <sup>19</sup>F and <sup>1</sup>H NMR  
 and mass spectra.

IT 70411-04-0P

RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of)

RN 70411-04-0 CAPLUS

CN Propanoic acid, 2,2,3-trifluoro-3-(trifluoromethoxy)-, methyl ester (CA  
 INDEX NAME)

